



JEEVIKA

An Initiative of Government of Bihar for Poverty Alleviation

Bihar Rural Livelihoods Promotion Society
State Rural Livelihoods Mission, Bihar



1st Floor, Vidyut Bhawan-II Bailey Road, Patna - 800 021, Ph. : +91-612-250 4980; Fax : +91-612-250 4960, Website : www.brplp.in

Ref.: BRLPS/Project/463/13/vol-II/1368

Date: 18-07-19

Office Order

To enhance the income of SHG members, Jeevika is implementing Goat Intervention for which it is imperative to reduce mortality, morbidity and to enhance the productivity of goats by providing different preventive and other services through Pashu Sakhis. The best way to prevent the goat mortality caused by endemic diseases is vaccination. The major Goat diseases found in Bihar are PPR, FMD, ET, Goat Pox, etc. Due to these diseases, 25-35% mortality of Goats and Kids occurs.

With the above concern, De-Worming and Vaccination calendar has been prepared to develop immune system for protection against above mentioned diseases of Goats reared by SHG members.

Month	Vaccination/De-Worming
January	De-Worming
February	ET
March	Goat Pox
April	PPR
May	-
June	De-Worming
July	HSBQ
August	-
September	-
October	FMD
November	-
December	-


Note:

- De-Worming and Vaccination of Goats reared by SHG members will be done by trained Pashu Sakhis.
- The De-worming and vaccination will be done by the Pashu Sakhi for which a service charge will be paid by the community as prescribed in the Pashu Sakhi Policy.
- Goat rearing SHG members should also be provided benefits of Government De-Worming and Vaccination drives.
- No charge should be claimed by Pashu Sakhi for the De-Worming and Vaccination during Government drives.
- Duration between De-worming and Vaccination should be at least 15 Days.
- Duration between any two vaccinations should be at least 21 Days.
- Vaccination to be done to such goats which are aged more than 3 Months.

- Vaccination of goats should be done preferably either in the morning or in the evening. It should not be done during day time (11:00 AM to 03:00 PM).
- Pregnant Goat should not be vaccinated.
- Goats should not be allowed to go to open graze for at least one week after vaccination.
- Vaccine must be kept at temperature between 2°C to 8°C (preferably in Cool Box)

Concerned BPMs along with Managers/YPs/In Charge Livestock have to ensure De-Worming and Vaccination of goats through Pashu Sakhi in all intervened villages as per the calendar and instructions mentioned above.

For timely execution, BPIU Team would facilitate the Pashu Sakhi, VO, PG well in advance for activities like: Awareness, Demand Generation, Vaccine Procurement process, Documentation, etc.



(Balamurugan D.)
Chief Executive Officer-cum-State Mission Director

Copy to:

- 1. All DPMs/Manager Livestocks**
- 2. All PCs/SPMs/SFM`s/PMs/AFMs**
- 3. OSD/Director/CFO/PS/PO**
- 4. Concerned File.**